

REMARKS

Formal Matters

Claims 1-3 and 20 are pending.

Claims 1-3, 16 and 20 were examined and rejected.

Claims 1 and 2 are amended. The amendments to the claims were made solely in the interest of expediting prosecution, and are not to be construed as an acquiescence to any objection or rejection of any claim. Support for the amendments to claims 1 and 2 is found in claim 16 as originally filed, and throughout the specification, in particular at the following exemplary locations: page 24, lines 20-21. Accordingly, no new matter is added.

Claim 16 is canceled without prejudice to renewal, without intent to acquiesce to any rejection, and without intent to surrender any subject matter encompassed by the canceled claims.

Applicants respectfully request reconsideration of the application in view of the remarks made herein.

Interview Summary

The Applicants wish to express their gratitude to Examiners Celsa and Wang for the interview on September 14, 2004, with Applicants' representatives James Keddie, Carol Francis and Jim Diehl.

All current rejections were discussed, as well as arguments to overcome those rejections. Applicants arguments were advanced in the communication filed with the Office on April 2, 2004, and are further elaborated herein.

Rejections under 35 U.S.C. § 103- general discussion

Without wishing to acquiesce to the correctness of this rejection, claims 1 and 2 have been amended to recite a retroviral vector comprising a polynucleotide encoding a GFP having a sequence that of *SEQ ID NO:2*. Since *SEQ ID NO:2* sets forth the amino acid sequence of wild-type *Renilla mulleri* GFP, the claims are directed to a retroviral vector comprising a polynucleotide encoding a wild-type *Renilla mulleri* GFP. As suggested by the Examiners during the interview, the claims have also been amended to clarify that the recited vector is for use in a *mammalian* cell.

As discussed in the afore-mentioned interview and as argued in great detail in response to the prior Office Action, the art at the time of filing teaches that a **wild-type *Aequoria* GFP could not be expressed in a mammalian cell using a retroviral vector**. This position is factually supported by the papers of Hanazano, Levy, Cheng and Aran, and others¹. It was not until the amino acid sequence of the *Aequoria* GFP was altered in a significant manner (thereby making it a *mutant* GFP, i.e., *not* wild-type *Aequoria* GFP) that it could be expressed in a mammalian cell using a retroviral vector. The amino acid alterations that result in a retroviral vector-compatible *Aequoria* GFP were neither predictable from the wild-type *Aequoria* sequence, nor trivial to find. Accordingly, several years of research were put into identifying such a GFP and this research resulted in two seminal, back-to-back publications in *Nature Biotechnology* in 1996. As a result of these publications, retroviral vectors encoding **mutant *Aequoria* GFPs** are now very widely used.

The state of the art at the time of filing therefore indicates that wild-type *Aequoria* GFP *could not* be expressed in a mammalian cell using a retroviral vector. One of skill in the art would expect the same to be true of a **wild-type *Renilla* GFP** since the *Aequoria* and *Renilla* proteins have light-emitting activity, i.e., they are both highly fluorescent in cells of their native species, *Aequoria victoria* (a jellyfish) and *Renilla mulleri* (a sea pansy). However, since the wild-type *Aequorea* GFP and wild-type *Renilla* GFP share only about 25% amino acid sequence identity (see Figure 1 of Applicants disclosure), it would have been impossible to determine whether the wild-type *Renilla* GFP contains an amino acid sequence that would make it retroviral-vector compatible. Accordingly, at the time of filing one of skill in the art would expect that a retroviral vector encoding a **wild type *Renilla mulleri* GFP** would be a dismal failure, just like a retroviral vector encoding a **wild type *Aequoria victoria* GFP**.

The Applicants submit that the teachings of Bryan, cited for disclosing the amino acid sequence of wild-type *Renilla mulleri* GFP, would do nothing to increase the expectation of success of a *retroviral vector encoding a wild type *Renilla mulleri* GFP*. As would be recognized by one of skill in the art, successful production of a protein using a retroviral vector *at a minimum* requires: a) that the protein is *not* selected against during multiple rounds of cell growth and division, and b) that the protein can be detectably expressed from a vector that is usually present at very low copy number (e.g., a single integrated retroviral vector). Neither of these features could be predicted by the results of Bryan's assay. For example, a) 8 hours of culture time (the time point at which Bryan's cells were sampled; see col. 103,

¹ See the Response to the prior Office Action.

line 6) is insufficient for cells to undergo multiple rounds of growth and division, and b) Bryan's assay utilizes an autonomously replicating vector having an SV40 origin of replication (see col. 99, lines 50-57), which is known to confer a high copy number to vectors in mammalian cells (see exemplary Exhibits A and B). In view this, the Applicants respectfully submit that Bryan's success in detecting *Renilla mulleri* GFP using a high copy vector system after a mere 8 hours of cell culture would *not* predict successful expression of *Renilla mulleri* GFP using a retroviral vector.

The Applicants respectfully submit that the state of the art therefore taught away from what is being claimed at the time of filing of the instant application. As such, the claimed subject matter could not have been obvious at the time of filing, and, accordingly, this rejection may be withdrawn.

In other words, in stark contrast to the prevailing wisdom at the time of filing, the Applicants have shown that a **wild type** *Renilla mulleri* GFP (i.e., SEQ ID NO:2) *can* be expressed in a mammalian cell using a retroviral vector. This would have been a surprise in view of the prevailing wisdom at the time of filing, and, as such, would have been quite unexpected by one of skill in the art. Accordingly, this rejection may be withdrawn

The general discussion set forth above supports the Applicants position that Aran, Bryan or Zolutukhin, taken alone or in any combination, cannot render the claimed invention obvious. Withdrawal of rejections that rely on the disclosures of these references is respectfully requested.

Each of the rejections set out in the Office Action is addressed in detail below.

Rejection under 35 U.S.C. § 103 - Bryan and Aran

Claims 1-3 and 16 remain rejected under 35 U.S.C. § 103(a) as being unpatentable over Bryan and Aran. The Office Asserts that Bryan's GFP, in combination with Aran's retroviral vectors, renders the subject matter of the instant claims obvious. This rejection is respectfully traversed.

As discussed above, Bryan and Aran, either taken alone or in combination, cannot render the claimed invention obvious because one of skill in the art at the time of filing would have no reasonable expectation of success in expressing a wild-type *Renilla mulleri* GFP in a mammalian cell using a retroviral vector. For example, Aran, as cited in this rejection, states that expression of *wild-type Aequorea* GFP in a mammalian cell from a retroviral vector did not work (see first full paragraph of page 204).

Accordingly, the Applicants respectfully submit that a *prima facie* case of obviousness has not been established, and this rejection should be withdrawn.

Rejection under 35 U.S.C. § 103 - Aran and Bryan

Claims 1-3, 16 and 20 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Aran and Bryan. The Office Asserts that Aran's retroviral vectors, in combination with Bryan's GFP, renders the subject matter of the instant claims obvious.

As discussed above, Bryan and Aran, either taken alone or in combination, cannot render the claimed invention obvious because one of skill in the art at the time of filing would have no reasonable expectation of success in expressing a wild-type *Renilla mulleri* GFP in a mammalian cell using a retroviral vector. For example, Aran, as cited in this rejection, states that expression of *wild-type Aequorea* GFP in a mammalian cell from a retroviral vector did not work (see first full paragraph of page 204).

Accordingly, the Applicants respectfully submit that a *prima facie* case of obviousness has not been established, and this rejection should be withdrawn.

Rejection under 35 U.S.C. § 103 - Aran, Bryan and Zolutukhin

Claim 20 is rejected under 35 U.S.C. § 103(a) as being unpatentable over Aran, Bryan and Zolutukhin. The Office Asserts that Aran's retroviral vectors, Bryan's *Renilla* GFP and Zolutukhin's human codon optimized GFP renders the subject matter of the instant claims obvious.

As discussed above, Bryan and Aran, either taken alone or in combination, cannot render the claimed invention obvious because one of skill in the art at the time of filing would have no reasonable expectation of success in expressing a wild-type *Renilla mulleri* GFP in a mammalian cell using a retroviral vector.

Zolutukhin is cited to provide a human codon optimized *Aequoria* GFP. However, according to Hanazono (Hum. Gene Ther. 1997, 8:1313-9), even a human codon optimized *Aequoria* GFP could not be expressed in a mammalian cell using a retroviral vector (see, "many attempts by our laboratory to isolate stable retroviral producer cell clones secreting biologically active vectors containing either the highly fluorescent S65T-GFP mutant or humanized GFP have *failed*" (emphasis added)). Accordingly,

Zolutukhin does not meet the deficiencies of Bryan and Aran, and does nothing to increase the expectation of success of the claimed vector.

Accordingly, Applicants respectfully submit that a *prima facie* case of obviousness has not been established, and this rejection should be withdrawn.

Rejection under 35 U.S.C. § 103 - Zolutukhin and Bryan

Claims 1-3, 16 and 20 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Zolutukhin and Bryan. The Office Asserts that Zolutukhin's human codon optimized GFP retroviral vector, in combination with Bryan's *Renilla* GFP, renders the subject matter of the instant claims obvious.

As discussed in detail above, at the time of filing of the instant application, there was no reasonable expectation of success in expressing a wild type *Renilla mulleri* GFP in a mammalian cell using a retroviral vector. This assertion is supported by the literature at the time of filing of the instant application. In particular, Hanazono, Aran, Levy and Cheng, and others, as discussed above, indicate that several research groups independently experienced great difficulty in using a retroviral vector encoding wild type *Aequorea* GFP. Until the work was actually done, there was no reasonable expectation of success of producing wild type *Renilla* GFP in a mammalian cell using a retroviral vector.

The arguments presented in detail above apply with equal force to the rejection of the claims based upon the combination of Zolutukhin and Bryan. Thus this rejection should also be withdrawn because the references provide no reasonable expectation of success in the practice of the invention given the state of the art at the time of filing. Zolutukhin or Bryan's statements about the desirability of *Renilla* GFP as a reporter for mammalian cells do not provide any reasonable expectation of success.

Accordingly, the Applicants respectfully submit that Zolutukhin and Bryan cannot be combined to render the claimed invention obvious, and this rejection should be withdrawn.



Atty Dkt. No.: RIGL-011
USSN: 09/710,058

CONCLUSION

Applicant submits that all of the claims are in condition for allowance, which action is requested. If the Examiner finds that a telephone conference would expedite the prosecution of this application, please telephone the undersigned at the number provided.

The Commissioner is hereby authorized to charge any underpayment of fees associated with this communication, including any necessary fees for extensions of time, or credit any overpayment to Deposit Account No. 50-0815, order number RIGL-011.

Respectfully submitted,
BOZICEVIC, FIELD & FRANCIS LLP


Date: September 30, 2004

By: James S. Keddie
James S. Keddie, Ph.D.
Registration No. 48,920

BOZICEVIC, FIELD & FRANCIS LLP
1900 University Avenue, Suite 200
East Palo Alto, CA 94303
Telephone: (650) 327-3400
Facsimile: (650) 327-3231

Enclosures: Exhibits A-B

F:\DOCUMENT\RIGL (Rigel)\011\Response to OA dated June 10, 2004.doc



PubMed

09/710,058 Exhibit A
National Library of Medicine
NLM

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search PubMed for [Go] [Clear]

Limits Preview/Index History Clipboard Details

Display Abstract Show: 20 Sort Send to Text

About Entrez

Text Version

Entrez PubMed
Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources
Order Documents
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

mammary cells

1: J Virol. 1991 Nov;65(11):5944-51.

Related Article

Full text article
in PubMed Central

Regulated replication of an episomal simian virus 40 origin plasmid in COS7 cells.

Chittenden T, Frey A, Levine AJ.

Department of Molecular Biology, Princeton University, New Jersey 08544-1014.


The replication of a simian virus 40 (SV40) origin-containing plasmid, pSLneo, stably transfected COS7 cells has been studied. pSLneo contains the SV40 origin of replication and encodes the positive selection marker for G418 resistance. In transient replication assays, pSLneo replicates to a high copy number in COS7 cells. Uncontrolled SV40 plasmid replication has been reported to be lethal to such transfected cells. Thus, it was anticipated that extensive plasmid replication would preclude isolation of permanent cell lines containing pSLneo. However, significant number of G418-resistant colonies arose after transfection of COS7 cells with pSLneo. Cell lines established from these drug-resistant colonies contained between 1 and 1,000 extrachromosomal pSLneo copies per cell. Episomal plasmid DNA in pSLneo/COS7 lines was stably maintained after 2 months of continuous culture in selective medium. Bromodeoxyuridine labeling and density shift experiments demonstrated that replication of pSLneo closely paralleled that of cellular DNA. On average, plasmid DNA did not replicate more than once during a single cell generation period. Regulation of pSLneo replication appeared to be negatively controlled by a cis-acting mechanism. Endogenous copies of episomal pSLneo remained at a stable low copy number during the simultaneous high-level replication of a newly transfected plasmid encoding SV40 large T antigen in the same cells. These results indicate that regulated replication of an SV40 origin plasmid can be acquired in a cell and not require the presence of additional genetic elements. The molecular mechanism by which cells enforce this regulation on extrachromosomal SV40 plasmids remains to be defined.

PMID: 1656081 [PubMed - indexed for MEDLINE]

Display Abstract Show: 20 Sort Send to Text

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Privacy Statement | Freedom of Information Act | Disclaimer

Sep 14 2004 15:26:21



09/710,058

Exhibit B

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Epub

Search PubMed



for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

Display

Citation

Show:

20

Sort

Send to

Text

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

1: Proc Natl Acad Sci U S A. 1997 Jun 10;94(12):6450-5.

Related Article

FREE full text article at

www.pnas.org

FREE full text article

in PubMed Central

Safety-modified episomal vectors for human gene therapy.

Cooper MJ, Lippa M, Payne JM, Hatzivassiliou G, Reifenberg E, Fayazi B, Perales JC, Morrison Templeton D, Piekarz RL, Tan J.

Department of Medicine, Case Western Reserve University School of Medicine, 10900 Euclid Avenue Cleveland, OH 44106, USA.

The effectiveness of ongoing gene therapy trials may be limited by the expression characteristics of viral and plasmid-based vectors. To enhance levels of heterologous gene expression, we have developed a safety-modified episomal expression vector that replicates extrachromosomally in human cells. This vector system employs a simian virus 40 (SV40) large T antigen mutant (107/402-T) that is deficient in binding to human tumor suppressor gene products, including p53, retinoblastoma, and p107, yet retains replication competence. These SV40-based episomes replicate to thousands of copies by 2-4 days after gene transfer in multiple types of human cell lines, with lower activity in hamster cells, and no detectable activity in dog and murine cell lines. Importantly, 107/402-T has enhanced replication activity compared with wild-type antigen; this finding may be due, in part, to the inability of p53 and retinoblastoma to inactivate 107/402-T function. We demonstrate that the level and duration of 107/402-T expression regulates the observed episomal copy number per cell. Compared with standard plasmid constructs, episomes encoding 107/402-T yield approximately 10- to 100-fold enhanced levels of gene expression in unselected populations of transient transfectants. To determine if 107/402-T-based episomes replicate extrachromosomally in vivo, tumor explants in nude mice were directly injected with liposome/DNA complexes. Using a PCR-based assay, we demonstrate that SV40-based episomes replicate in human cells after direct in vivo gene transfer. These data suggest that safety-modified SV40-based episomes will be effective for cancer gene therapy, because high level expression of therapeutic genes in transient transfectants should yield enhanced tumor elimination.

MeSH Terms:

- Animals
- Antigens, Polyomavirus Transforming/biosynthesis
- Antigens, Polyomavirus Transforming/genetics
- Cell Line
- Comparative Study
- DNA Primers
- DNA Replication
- Dogs
- Gene Therapy/methods*
- Gene Therapy/standards
- Genes, Tumor Suppressor
- Genetic Vectors*
- Hamsters
- Human
- Kinetics
- Luciferase/biosynthesis
- Mice
- Polymerase Chain Reaction
- Protein p53/metabolism
- Rats
- Recombinant Proteins/biosynthesis
- Retinoblastoma Protein/metabolism
- Simian virus 40/genetics

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☒ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.